Final for Publication

SUBSTITUTE NARRATIVE AND PLANS IN SUPPORT OF AN APPLICATION FOR A TYPE 1 MAP AMMENDMENT OF THE CITY OF CHICAGO ZONING MAP FOR THE PROPERTY LOCATED AT 1924 W. GRAND AVENUE CHICAGO

The Applicant 1924 w Grand LLC. Is seeking a Type 1 Zoning Map Amendment of The City of Chicago Zoning Map from the current M1-2 Limited Manufacturing/Business Park District symbols to those of a B2-2 Neighborhood Mixed-Use District symbols for the property commonly known as 1924 Grand Avenue in Chicago. The subject site contains an existing 2 story mixed use Building with an unoccupied Business and one Dwelling unit to be converted to a Business Office/Retail a rear first floor Dwelling Unit and a second floor Dwelling Unit And to construct a 2 story/ 2nd story addition.

The Zoning lot is substandard with Dimensions of 24 Feet x 95 Feet

Use: Business Office/Retail store and 2 Dwelling Units

Lot Area: 2,280 square feet

Density: 1140 square Feet/Dwelling Unit

Floor Area Ratio: 2.0 Floor Area: 4,560 square Feet.

Setbacks: Front: zero

Side: West 9 inches

Fast 2 feet


Rear: 23 feet may need a Variation or an Administrative Adjustment

Parking: 2 spaces. Building Height: 30 feet.

The subject parcel is in a community preservation area



www.exactaland.com | office: 773.305.4011




PROPERTY ADDRESS: 1924 W GRAND AVENUE, CHICAGO, ILLINOIS 60622


SURVEY NUMBER: 2305.5698

23055698 **BOUNDARY SURVEY** COOK COUNTY

Final for Publication

LINE TABLE: L1 24.00'(R) S 87°32'04" W 24,03' (C) L2 95.00' (R) N 2°34'44" W 95.00' (C) L3 N 87°32'04" E 24.01' (C) L4 95.00' (R) S 2°35'28" E 95.00' (C)





STATE OF ILLINOIS COUNTY OF GRUNDY SS

THIS IS TO CERTIFY THAT THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY. GIVEN UNDER MY HAND AND SEAL THIS DATE HEREON.

LICENSE EXPIRES 11/30/2024 EXACTA LAND SURVEYORS, LLC

ILLINOIS PROFESSIONAL LAND SURVEYOR No. 3403 PROFESSIONAL DESIGN FIRM 184008059-0008

035-003403 PROFESSIONAL LAND SURVEYOR MORRIS, IL VE OF ILLI

POINTS OF INTEREST:



Exacta Land Surveyors, LLC PLS: 184008059 o: 773.305.4011 316 East Jackson Street | Morris, IL 60450



DATE OF SURVEY: 05/31/23 FIELD WORK DATE: 5/27/2023 REVISION DATE(S): (REV.0 5/31/2023)

SEE PAGE 2 OF 2 FOR LEGAL DESCRIPTION PAGE 1 OF 2 - NOT VALID WITHOUT ALL PAGES

JOB SPECIFIC SURVEYOR NOTES:

LEGAL DESCRIPTION:

LOT 86 IN COCHRAN'S SUBDIVISION OF THE NORTH PART OF BLOCK 20 IN THE CANAL TRUSTEES SUBDIVISION OF SECTION 7, TOWNSHIP 39 NORTH, RANGE 14, EAST OF THE 3RD P.M., IN COOK COUNTY, ILLINOIS

Final for Publication

GENERAL SURVEYOR NOTES:

- The Legal Description used to perform this survey was supplied by others. This survey does not determine nor imply ownership of the lands or any fences shown hereon. Unless otherwise noted, an examination of the abstract of title was NOT performed by the signing surveyor to determine which instruments, if any, are affecting this property.
- Instruments, ir any, are arrecting mis property.

 The pumpers of this survey is to establish the boundary of the lands described by the legal description provided and to depict the wishble improvements their on for a pending financial transaction. Underground footings, utilities, or other service lines, including roof eave overhangs were not located as part of this survey. Unless specifically stated otherwise the purpose and intent of this survey is not for any construction activities or future planning.
- 3 If there is a septic tank or drain field shown on this survey, the location depicted hereon was either shown to the surveyor by a third party or it was estimated by visual above ground inspection. No excavation was performed to determine its location.
- 4. This survey is exclusively for a pending financial transaction and only to be used by the partles to whom it is certified.
- Alterations to this survey map and report by other than the signing surveyor are prohibited
- 6. Dirnensions are in feet and decimals thereof.

- Any FEMA flood zone data contained on this survey is for informational purposes only. Research to obtain said data was performed at www.fema.gov and may not reflect the most recent information.
- Unless otherwise noted "SIR" indicates a set iron rebar, 5/8 inch in diameter and twenty-four inches long.
- The symbols reflected in the legend and on this survey may
 have been enlarged or reduced for clarity. The symbols have
 been plotted at the approximate center of the field location
 and may not represent the actual shape or size of the feature.
- 10. Points of Interest (POTs) are select above-ground improvements, which may appear in conflict with boundary, building setback or easement lines, as defined by the parameters of this survey. These POTs may not represent all items of Interest to the viewer. There may be additional POTs which are not shown or called-out as POTs, or which are otherwise unknown to the surveyor.
- Utilities shown on the subject property may or may not indicate the existence of recorded or unrecorded utility easements.
- The information contained on this survey has been performed exclusively by and is the sole responsibility of Exacta Land Surveyors, LLC, Additional logos or references to third party firms are for informational purposes only.

- 13. Due to varying construction standards, building dimensions are approximate and are not intended to be used for new construction or planning.
- construction or planning.

 I. Surveyor bearings are used for angular reference and are used to show angular relationships of lines only and are not related or orientated to true or magnetic north. Bearings are shown as surveyor bearings, and when shown as matching those on the subdivision plats on which this survey is based, they are to be deemed no more accurate as the determination of a north orientation made on and for those original subdivision plats. North 00 degrees East is assumed and upon preparation of this plat, the resulting bearing between found points as shown on this survey is the basis of said surveyor bearings as defined and required to be noted by Illinois Administrative Code Title 68, Chapter VII. Sub-Chapter 8, Part 1707, Section 1270.56 (Form).
- 15. THIS SURVEY IS A PROFESSIONAL SERVICE IN COMPLIANCE WITH THE MINIMUM STANDARDS OF THE STATE OF ILLINOIS NO IMPROVEMENTS SHOULD BE MADE ON THE BASIS OF THIS PLAT I ALOR, PLEASE REFER ALSO TO YOUR DEED, THE POLICY AND LOCAL ORDINANCES. COPYRIGHT BY EXACTA ILLINOIS SURVEYORS. THIS DOCUMENT MAY ONLY BE USED BY THE PARTIEST OWNIGHT ITS CERTIFIED, PLEASE DIRECT QUESTIONS OR COMMENTS TO EXACTA ILLINOIS SURVEYORS, INC. ATTHE PHONE NUMBERS SHOWN HEREON.

SURVEYOR'S LEGEND

LINETYPES Boundary Line - CenterLine www of Chain Link or Wire Fasement Edge of Water -O-O- Iron Fence --- OHL---- Overhead Lines Structure ----- Survey Tie Line Vinyl Fence Wall or Party Wall Wood Fence SURFACE TYPES Asphalt Brick or Tite Concrete Covered Area Water Wood SYMBOLS Center Line Central Angle or Delta Δ M

€ Tree Utility or Light Pale **®** ABBREVIATIONS (C) - Calculated (D) - Deed (F) - Field (M) - Measured (P) - Plat (R) - Record (S) - Survey A/C - Air Conditioning AE - Access Easement ANE - Anchor Easement ASBL - Accessory Setback Line B/W - Bay/Box Window BC - Black Corner REP - Backflow Preventer BLDG - Building BLK - Block BM - Benchmark BR - Bearing Reference BRL - Building Restriction Line BSMT - Basement

C/L - Center Line

Elevation

Fire Hydrant

Guywire or Anchor

Find or Set

Manhole

0

0

C/P - Covered Parch C/S - Concrete Slab CB - Concrete Block CH - Chord Bearing CHIM - Chimney CLF - Chain Link Fence CME - Canal Maintenance Easement CO - Clean Out CONC - Concrete COR - Corner CS/W - Concrete Sidewalk CUE - Control Utility Easement CVG - Concrete Valley Gutter D/W - Driveway DE - Drainage Easement DF - Drain Field DH - Drill Hole DUE - Drainage & Utility Easement ELEV - Elevation EM - Electric Meter ENCL - Enclosure ENT - Entrance EOP - Edge of Pavement EOW - Edge of Water ESMT - Easement EUB - Electric Utility Box F/DH - Found Drill Hole FCM - Found Concrete

FN - Found Nail FN&D - Found Nail & Disc FRRSPK - Found Rail Road GAR - Garage GM - Gas Meter ID - Identification IE/EE - Ingress/Egress Easement ILL - Megible INST - Instrument INT - Intersection IRRE - Irrigation Easement L - Length LAE - Limited Access Easement LB# - License No. (Business) LBE - Limited Buffer Easement LE - Landscape Easement LME - Lake/Landscape Maintenance Easement LS# - License No. (Surveyor) MB - Map Book ME - Maintenance Easement MES - Mitered End Section MF - Metal Fence MH - Manhole MHWL - Mean High Water Line NR - Non-Radial NTS - Not to Scale NAVD88 - North American Vertical Datum 1988

FIR - Found Iron Rod

FIRC - Found Iron Rod & Cap

ORV - Official Record Volume O/A - Overall O/S - Offset OFF - Outside Subject Property OH - Overhang OHL - Overhead Utility Lines OHWL - Ordinary High Water ON - Inside Subject Property P/E - Pool Equipment PB - Plat Book PC - Point of Curvature PCC - Point of Compound Curvature PCP - Permanent Control Point PI - Point of Intersection PLS - Professional Land PLT - Planter POB - Point of Beginning POC - Point of Commencement PRC - Point of Reverse Curvature PRM - Permanent Reference Monument PSM - Professional Surveyor & Mapper PT - Point of Tangency PUE - Public Utility Easement R - Radius or Radial R/W - Right of Way RES - Residential RGE - Range ROE - Roof Overhang Easement RP - Radius Point

ORB - Official Records Book

SBL - Setback Line SCL - Survey Closure Line SCR - Screen SEC - Section SEP - Septic Tank SEW - Sewer SIRC - Set Iron Rod & Cap SMWE - Storm Water Management Easement SN&D - Set Nail and Disc SQFT - Square Feet STL - Survey Tie Line STY - Story SV - Sewer Valve SWE - Sidewalk Easement TBM - Temporary Bench Mark TEL - Telephone Facilities TOB - Top of Bank TUE - Technological Utility Easement TWP - Township TX - Transformer TYP - Typical UE - Utility Easement UG - Undergroun UP - Utility Pole UR - Utility Riser VF - Vinyl Fence W/C - Witness Carne W/F - Water Filter WF - Wood Fence

WM - Water Meter/Valve Box

WV - Water valve

S/W - Sidewalk

ERTIFIED	TO:
DYTA BRY	15.

m

Ε

FLOOD ZONE INFORMATION:

NGVD29 - National Geodetic Vertical Datum 1929

OG - On Ground

DATE SIGNED: 05/31/23

Control Point

Catch Basin

BUYER: EDYTA BRYS

LENDER:

TITLE COMPANY

COMMITMENT DATE

CLIENT FILE NO:

Monument

FF - Finished Floor

FIP - Found Iron Pipe

FIPC - Found Iron Pipe & Cap

SEE PAGE 1 OF 2 FOR MAP OF PROPERTY PAGE 2 OF 2 - NOT VALID WITHOUT ALL PAGES



Exacta Land Surveyors, LLC PLS# 184008059 6: 773 305.4011 316 East Jackson Street | Morris, IL 60450

Final for Publication

CONVERT THE EXISTING 2 STORY MIXED USE BUILDING FROM BUSINESS AND 1 DWELLING UNIT TO A BUSINESS OFFICE/RETAIL AND 2 DWELLING UNITS AND TO CONSTRUCT A 2 STORY ADDITION.

1924 W. GRAND AVENUE CHICAGO, IL

JEF + ASSOCIATES LLC Dicklocks D D D 196 04KHILL RO. LAKE BARRINGTON IL 60010

AREA OF WORK: FIRST FLOOR = 1.301 SQ.FT. SECOND FLOOR= 1.194 SQ.FT.

GENERAL NOTES

- אנו שמישל שיאנו פני ססיפ אי אבכבסים שיבים שייש STATE OF ILLINOIS AND CITY OF CHICAGO BAILDING COCES, LATEST EDITION, AND SHALL SE LEFT CLEAN AND IN PERFECT OCCUPANCY AND OPERATING
- ALL INTERIOR TO SE CLASS FUTH O TO IS FOR
- ALL BAT DOORS TO RETURN KETLESS IN THE DIRECTION
- ALL OF AND TO FORMER IT WAS MADERN OF ATMIX
- ENDOUGHERING ARE OFFENDINGED FOR TYP SIZES
 VERPY AND DOWNER SIZES FOR SPECIFIC UNDOOD PLACEFURDE
- AND 3-01 HM FROM PROPERTY LINE
 AND 3-01 HM FROM PROPERTY LINE
- PROVIDE THE BOSED WILLIAM BATHROOM TYPE
- SMOKE DETECTORS SHALL BE IS -2" MAX
- The Secondary Occasion for wave represent outline
- ALL BALD AND ALABORALS / INTERIOR / EXTEROR / SALES DE CONSTRUCTED TO DESCRIPTION A SO FIG. APPLIED AT THE TOP WAIL
- ALL STARS TO HAVE A PROPUR IF TREADS I I WINDOWS
- 9 ACCUSTAGE TO HAVE A PLANES. T SAMES
- D. STAIR HEADROOM TO BE DON THOS COUNTY WALLS TO BE AT ABOVE PLOOP
- S -- HANDHARD TO BE THE IST ABOVE STARE THE ADS
- STAIR AND MALL WIDTHS TO BE MIN 36".
- ALL PIPE SHAFTS I DUCTO PASSING DETUBBLY PLOORS
- GENERAL CONTRACTOR SHALL VISIT THE SITE AND SEMILARDES WITSELF LITH THE EMISTING PELID CONDITIONS
- Contraction small coordinate and venet all strategies with architectural recharcal and selections to deathed
- TO SENERAL CONTRACTOR SHALL BE MESPONSIBLE FOR PROVIDING TEMPORARY INFACING OF WALLS OUR NO CONSTRUCTION
- THE PROJECT & PRIVATELY DUNCO AND PRIVATELY PROJECTS
- W DO NOT SCALE DEADINGS

34444H144H113 HEW HOOF AND PARTON AND PARTON TO EMIST TWO 5104 ADDITION SET OF 7 1034 \$1087 6404 \$1000 NO OWAST MIC 67 2 2 STORY BRICK FRAVE & SLOCK BUILDING

EXISTING CONCRETE WALK

GRAND AVE

10' PUBLIC ALLEY

DRAWING INDEX

- C5 SITE PLAN ZONING IPPORTIATION LEGEND AND NOTES
- DI DEMOLITION FLOOR PLANS
- AL BASEMENT FIRST & SECOND FLOOR PLANS
- A2 DOOR SCHEDULE
- A3 FOUNDATION AND FRAMING FLOOR PLAN LEGEND AND NOTES
- MI MECHANICAL FLOOR PLAN LEGEND AND NOTES
- P: PLUTBING DIAGRAM
- ELECTRICAL FLOOR FLAN

THIS PROJECT SHALL COMPLY WITH 2018 ELECTRICAL CODE

MP ASSOCIATES INC

312-900-907+ # 8+7 410-7610




lef + Arraciater lic erabited segiment examitant to numerous has time ease Enail fisjanderboggoovine


CS DEALE USTATUST











2 PROPOSED SECOND FLOOR PLAN





MP ASSOCIATES INC

* 912 809 9674

Commercial & Control of the control





Jef + Associates lic analiteatr-englaces convitant to administration has accompanied that it appropriate goods and



ACVG/DNS	
PROJECT NO	Seek 2 1 No.
	Α_
ACALE DATES.CT	7.
DEMOKITIES.	}
OATE OS/OCOUS	S*

Final for Publication











DESIGN CONSULTANTS



Jef + Riociates lic anhibeti naglates countable Its 3000-noop far Mille come Enall frajardo estoglobalinat the owner to

